C E R T I F I C A T E

of Conformity
Low Voltage Directive (EU) 2014/35

Registration No.: AN 50740254 0001

Report No.: CN26AZ9Z 001

Holder: China Leadshine Technology Co., Ltd.
15-20/F, Block B, Nanshan I Valley,
No.3157, Shahe West Road, Nanshan District,
Shenzhen,
518055 Guangdong
P.R. China

Product: Electric Power Drive
(AC Servo Drive)

Type designation listed on the next page

This certificate of conformity is based on an evaluation of a sample of the above-mentioned product. Technical Report and documentation are at the License Holder's disposal. This is to certify that the tested sample is in conformity with Annex I of Council Directive (EU) 2014/35, referred to as the Low Voltage Directive. This certificate does not imply assessment of the series-production of the product and does not permit the use of a TÜV Rheinland mark of conformity. The holder of the certificate is authorized to use this certificate in connection with the EC declaration of conformity according to Annex IV of the Directive.

Certification Body

Date: 2026-08-28

A. Chen

TÜV Rheinland LGA Products GmbH
TÜVRheinland
Zertifizierungsstelle

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

C E R T I F I C A T E

of Conformity
Low Voltage Directive (EU) 2014/35

Registration No.: AN 50740254 0001

Product: Electric Power Drive
(AC Servo Drive)

Identification: Type Designation

```
L7 series (Linear Motors Control)
Table 1- Nomenclature
L7 N  - L    008 S b  T   - c
I  II - III  IV  V VI VII - VIII

I. Series designation:
L7: L7 series

II. Communication ports:
N: EtherCAT
PN: PROFINET
P: Pulse and RS485

III. Motor Type:
L: Linear Motors Control

IV. Rated power or current:
008: 8A
(Input: 1PH or 3PH AC 200~240V 50/60Hz 10.1A/6.4A;
 Output: 3PH AC 0~240V 0~500Hz 8A)
008: 8A
(Input: 3PH AC 380~440V 50/60Hz 5.6A;
 Output: 3PH AC 0~380V 0~500Hz 8.4A)
012: 12A
(Input: 3PH AC 380~440V 50/60Hz 7.9A;
 Output: 3PH AC 0~380V 0~500Hz 11.9A)
013: 13A
(Input: 1PH or 3PH AC 200~240V 50/60Hz 12.8A/8.0A;
 Output: 3PH AC 0~240V 0~500Hz 12A)

V. Motor Type:
Blank: Standard Version
S: Advanced Version (supports STO functions)

VI. Product code
```

© TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

C E R T I F I C A T E

of Conformity
Low Voltage Directive (EU) 2014/35

Identification:

Type Designation
(not relevant to product construction):
b: XXXXXXXXXX
The model number may include a "XXXXXXXXXX",
Where "XXXXXXXXXX" can be blank or combination of
any alphanumeric and/or symbols
that represents product code.

VII. Voltage level:
Blank: 220V
T: 380V

VIII. Customer code
(not relevant to safety construction)
c: XXXXXXXXXX
The model number may include a suffix "XXXXXXXXXX",
Where "XXXXXXXXXX" can be blank or combination of
any alphanumeric and/or symbols that
represents customer identity.

L7 series
Table 2- Nomenclature

L7 N	- a	1500 S b	T	- FSc
I	II - III	IV V VI	VII	- VIII

I. Series designation:
L7: L7 series

II. Communication ports:
N: EtherCAT
PN: PROFINET
P: Pulse and RS485

III. Industry code
(not relevant to safety construction):
a: XXXXXXXXX
The model number may include a "XXXXXXXXXX",
Where "XXXXXXXXXX" can be blank or combination of
any alphanumeric and/or symbols
that represents Industry

TÜV Rheinland LGA Products GmbH
TÜVRheinland
Zertifizierungsstelle

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

C E R T I F I C A T E

of Conformity
Low Voltage Directive (EU) 2014/35

Identification:

Type Designation
Blank: Standard model, not industry customized (default)

IV. Rated power or current:
1500:
(Input: 1PH or 3PH AC 200~240V 50/60Hz 10.1A/6.4A;
Output: 3PH AC 0~240V 0~500Hz 9.5A 1500W)
2000:
(Input: 1PH or 3PH AC 200~240V 50/60Hz 12.8A/8.0A;
Output: 3PH AC 0~240V 0~500Hz 12A 2000W)
2000:
(Input: 3PH AC 380~440V 50/60Hz 5.6A;
Output: 3PH AC 0~380V 0~500Hz 8.4A 2000W)
3000:
(Input: 3PH AC 380~440V 50/60Hz 7.9A;
Output: 3PH AC 0~380V 0~500Hz 11.9A 3000W)

V. Type:
Blank: Standard Version
S: Advanced Version (supports STO functions)

VI. Product code
(not relevant to product construction):
b: XXXXXXXXXX
The model number may include a "XXXXXXXXXX", Where "XXXXXXXXXX" can be blank or combination of any alphanumeric and/or symbols that represents product code.

VII. Voltage level:
Blank: 220V
T: 380V

VIII. Customized Function:
Blank: Standard
FS: STO function (L7P series)
c: XXXXXXXXXX
The model number may include a suffix "XXXXXXXXXX", Where "XXXXXXXXXX" can be blank or combination of any alphanumeric and/or symbols that represents customer identity.

TÜV Rheinland LGA Products GmbH TÜVRheinland Zertifizierungsstelle

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

C E R T I F I C A T E

of Conformity
Low Voltage Directive (EU) 2014/35

Identification: Type Designation
EL7 series
Table 3- Nomenclature

EL7 - EC a 1500 S b T - c
I - II III IV V VI VII - VIII

I. Series designation:
EL7: EL7 series

II. Communication ports:
EC: EtherCAT
PN: PROFINET
RS: Pulse and RS485

III. Industry code
(not relevant to safety construction):
a: XXXXXXXXX
The model number may include a "XXXXXXXXXX",
Where "XXXXXXXXXX" can be blank or combination of
any alphanumeric and/or symbols
that represents Industry
Blank: Standard model, not industry customized
(default)

IV. Rated power or current:
1500:
(Input: 1PH or 3PH AC 200~240V 50/60Hz 10.1A/6.4A;
Output: 3PH AC 0~240V 0~500Hz 9.5A 1500W)
2000:
(Input: 1PH or 3PH AC 200~240V 50/60Hz 12.8A/8.0A;
Output: 3PH AC 0~240V 0~500Hz 12A 2000W)
2000:
(Input: 3PH AC 380~440V 50/60Hz 5.6A;
Output: 3PH AC 0~380V 0~500Hz 8.4A 2000W)
3000:
(Input: 3PH AC 380~440V 50/60Hz 7.9A;
Output: 3PH AC 0~380V 0~500Hz 11.9A 3000W)

V. Type:
Blank: Standard Version
S: Advanced Version (supports STO functions)

VI. Product code

© TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

C E R T I F I C A T E

of Conformity
Low Voltage Directive (EU) 2014/35

Identification:

Type Designation
(not relevant to product construction):
b: XXXXXXXXXX
The model number may include a "XXXXXXXXXX",
Where "XXXXXXXXXX" can be blank or combination of
any alphanumeric and/or symbols
that represents product code.

VII. Voltage level:
Blank: 220V
T: 380V

VIII. Customized Function:
c: XXXXXXXXXX
The model number may include a suffix
"XXXXXXXXXX", Where "XXXXXXXXXX" can be blank or
combination of any alphanumeric and/or symbols
that represents customer identity.

EL7 series (Linear Motors Control)
Table 4- Nomenclature

EL7 - EC 080 L S b T - c
I - II III IV V VI VII - VIII

I. Series designation:
EL7: EL7 series

II. Communication ports:
EC: EtherCAT
PN: PROFINET
RS: Pulse and RS485

III. Rated power or current:
080: 8A
(Input: 1PH or 3PH AC 200~240V 50/60Hz 10.1A/6.4A;
Output: 3PH AC 0~240V 0~500Hz 8A)
080: 8A
(Input: 3PH AC 380~440V 50/60Hz 5.6A;
Output: 3PH AC 0~380V 0~500Hz 8.4A)
120: 12A
(Input: 3PH AC 380~440V 50/60Hz 7.9A;

TÜV Rheinland LGA Products GmbH Zertifizierungsstelle TÜVRheinland

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

C E R T I F I C A T E

of Conformity
Low Voltage Directive (EU) 2014/35

Identification:

Type Designation
Output: 3PH AC 0~380V 0~500Hz 11.9A)
130: 13A
(Input: 1PH or 3PH AC 200~240V 50/60Hz 12.8A/8.0A;
Output: 3PH AC 0~240V 0~500Hz 12A)

IV. Motor Type:
L: Linear Motors Control

V. Type:
Blank: Standard Version
S: Advanced Version (supports STO functions)

VI. Product code
(not relevant to product construction):
b: XXXXXXXXXX
The model number may include a "XXXXXXXXXX",
Where "XXXXXXXXXX" can be blank or combination of
any alphanumeric and/or symbols
that represents product code.

VII. Voltage level:
Blank: 220V
T: 380V

VIII. Customer code (not relevant to safety
construction)
c: XXXXXXXXXX
The model number may include a suffix
"XXXXXXXXXX", Where "XXXXXXXXXX" can be blank or
combination of any alphanumeric and/or symbols
that represents customer identity.

TÜV Rheinland LGA Products GmbH TÜVRheinland Zertifizierungsstelle

L6 series
Table 5- Nomenclature

L6 N - a 1500 S b T - RZc
I II - III IV V VI VII - VIII

I. Series designation:
L6: L6 series

II. Communication ports:

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

C E R T I F I C A T E

of Conformity
Low Voltage Directive (EU) 2014/35

Identification:

Type Designation
N: EtherCAT
P: Pulse and RS485
PN: PROFINET

III. Industry code
(not relevant to safety construction):
a: XXXXXXXXX
The model number may include a "XXXXXXXXXX",
Where "XXXXXXXXXX" can be blank or combination of
any alphanumeric and/or symbols
that represents Industry
Blank: Standard model,
not industry customized (default)

IV. Rated power or current:
1500:
(Input: 1PH or 3PH AC 200~240V 50/60Hz 10.1A/6.4A;
Output: 3PH AC 0~240V 0~500Hz 9.5A 1500W)
2000:
(Input: 1PH or 3PH AC 200~240V 50/60Hz 12.8A/8.0A;
Output: 3PH AC 0~240V 0~500Hz 12A 2000W)
2000:
(Input: 3PH AC 380~440V 50/60Hz 5.6A;
Output: 3PH AC 0~380V 0~500Hz 8.4A 2000W)
3000:
(Input: 3PH AC 380~440V 50/60Hz 7.9A;
Output: 3PH AC 0~380V 0~500Hz 11.9A 3000W)

V. Type:
Blank: Standard Version
S: Advanced Version (supports STO functions)

VI. Product code:
b: "XXXXXXXXXX" can be blank or combination of
any alphanumeric and/or symbols
that represents product code.

VII. Voltage level:
Blank: 220V
T: 380V

VIII. Customized Function:
Blank: Standard

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

C E R T I F I C A T E

of Conformity
Low Voltage Directive (EU) 2014/35

Identification:

Type Designation
RZ: STO function
c: The model number may include a suffix
"XXXXXXXXXX" can be blank or combination of
any alphanumeric and/or symbols
that represent customer identity.

Remark:
Refer to test report CN26AZ9Z 001 for details.

® TÜV, TUEV and TUV are registered trademarks . Utilisatio n and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

www.tuv.com

TÜVRheinland®
Precisely Right.